

EAST - [back.wsp:1]

File View Edit Tools Window Help

Drafts
BRS:
Pending
Active
L2: (1) ("59782850" OR "6028782").PN.
L3: (1722658) reference
L4: (255685) cell
L5: (2040) (3 ADJ 4)
L6: (207844) cells
L7: (858) (3 ADJ 6)
L8: (2301) (7 OR 5)
L10: (1) (2 AND 8)
L11: (2) ("5978250" OR "6028782").PN.
L13: (2) (11 AND 8)
L14: (555) 365/145.ccls.
L16: (16167) dummy
L17: (303180) (6 OR 4)
L18: (1197) (16 ADJ 17)
L19: (3400) (18 OR 8)
L21: (110) (14 AND 19)
Failed
Saved
Favorites
UDC
Queue
Trash

Search LIP Browse Queue Clear
DB: USPAT ☐ Plurals ☐ Synonyms
Default operator: OR
(14 AND 19)

BRS form IS&R form Image Text

	U	I	Document ID	Issue Date	Pages	Title	Current OR Δ	Current XRef
1	<input type="checkbox"/>	<input type="checkbox"/>	US 5969380 A	19991019	15	Three dimensional ferroelectric	257/295	365/145
2	<input type="checkbox"/>	<input type="checkbox"/>	US 5652445 A	19970729	29	Hybrid hall effect device and	257/295	257/421
3	<input type="checkbox"/>	<input type="checkbox"/>	US 5565695 A	19961015	20	Magnetic spin transistor hybrid	257/295	257/421

Hits Details

Ready NUM

EAST - [back.wsp:1]

File View Edit Tools Window Help


Drafts
Pending
Active
L1: (0) kang-young-min.in.
L2: (2587883) "3"
L3: (2110903) "8"
L4: (846701) (3 SAME 2)
L5: (35385) nand
L6: (7105) ferroelectric
L7: (1722658) reference
L8: (255685) cell
L9: (16167) dummy
L10: (287726) column
L11: (987) (9 ADJ 8)
L12: (2040) (7 ADJ 8)
L13: (2961) (11 OR 12)
L15: (31) (14 SAME 10)
L16: (2755) (5 SAME 4)
L17: (0) 14 and 16
L19: (10) (15 AND 5)
L20: (105) (13 SAME 6)
Failed
Saved
Favorites
UDC
Queue

SEARCH [L1] Browse Queue Clear
DBs: USPAT ☐ Plurals ☐ Synonyms
Default operator: OR
(13 SAME 6)

BRS form IS&R form Image Text

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6034387 A	20000307	9	Methods of operating ferroelectric	257/295	257/296
2	<input type="checkbox"/>	<input type="checkbox"/>	US 5969380 A	19991019	15	Three dimensional ferroelectric	257/295	365/145
3	<input type="checkbox"/>	<input type="checkbox"/>	US 5932903 A	19990803	32	Ferroelectric semiconductor memory	257/295	365/145

Ready NUM



EAST - [back.wsp:1]

File View Edit Tools Window Help

Active

- L1: (0) kang-young-min.in.
- L2: (2587883) "3"
- L3: (2110903) "8"
- L4: (846701) (3 SAME 2)
- L5: (35385) nand
- L6: (7105) ferroelectric
- L7: (1722658) reference
- L8: (255685) cell
- L9: (16167) dummy
- L10: (287726) column
- L21: (152848) row
- L22: (70398) decoder
- L23: (1235804) select\$
- L24: (207844) cells
- L25: (303180) (24 OR 8)
- L26: (287165) memory
- L66: (5083) (5 SAME 22)
- L68: (523) (6 SAME 4)
- L69: (469) (66 SAME 4)
- L70: (113246) word
- L72: (65) (69 SAME 70)
- L73: (851) (3 ADJ3 5).
- L74: (2025) (2 ADJ3 5)
- L75: (13595) (22 SAME 70)
- L76: (28) (73 SAME 75)
- L77: (56) (74 SAME 75)
- L79: (4) (76 AND 77)

Failed

Saved

el 8-NAND
3 NAND

DBs USPAT ☐ Plurals ☐ Synonyms

Default operator: OR

(76 AND 77)

BFS form IS&R form Image Text

Ready NUM

